

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 12/22/2011  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>15G733</b>		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R</b> <b>12/21/2011</b>	
NAME OF PROVIDER OR SUPPLIER  <b>AWS</b>				STREET ADDRESS, CITY, STATE, ZIP CODE <b>25799 ROLLING HILLS DR</b> <b>SOUTH BEND, IN 46614</b>			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{W 000}	<p>INITIAL COMMENTS</p> <p>This visit was for a post certification revisit (PCR) to the fundamental annual recertification and state licensure survey completed on October 12, 2011.</p> <p>Dates of survey: December 20 and 21, 2011.</p> <p>Facility number: 011297 Provider number: 15G733 AIM number: 200842740</p> <p>Surveyor: Kathy Wanner, Medical Surveyor III.</p> <p>AWS was found to be in compliance with 42 CFR, Part 483, Subpart I, and 460 IAC 9 in regard to the PCR to the fundamental annual recertification and state licensure survey.</p> <p>Quality Review completed 12/21/11 by Ruth Shackelford, Medical Surveyor III.</p>			{W 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.